




Unilong Industry Co., Ltd

Add: No.2000 Shunhua Rd, High-Tech Zone , Jinan City, Shandong Province, China
Contact: +86-18653132120

Product name: 2-PHENOXYETHYL ACRYLATE

CAS: 48145-04-6

Molecular weight: 192.21



Item	Standard
Melting point	84 °C/0.2 mm Hg(lit.)
Density	1.104 g/mL at 25 °C(lit.)
Vapor pressure	0.25Pa at 25 °C
Refractive index	n ₂₀ /D 1.518(lit.)
Flash point	>230 °F
LogP	2.58 at 25 °C



Unilong Industry Co., Ltd

Add: No.2000 Shunhua Rd, High-Tech Zone , Jinan City, Shandong Province, China
Contact: +86-18653132120

Application:

2-phenoxyethyl acrylate has shown a wide range of uses. First of all, in the field of chemical industry, it can be used as a monomer of polymer materials, and polymers with special properties are prepared by polymerization reaction. These polymers are widely used in coatings, inks, adhesives and other fields. In addition, 2-phenoxyethyl acrylate can also be used to prepare surfactants, lubricants and so on. In the field of medicine, 2-phenoxyethyl acrylate is used as the precursor or intermediate of drug synthesis to prepare drug molecules with specific pharmacological activity.

Package:

200kg/drum or according to customer requirements.

Unilong Industry