




Unilong Industry Co., Ltd

Add: No.2000 Shunhua Rd, High-Tech Zone , Jinan City, Shandong Province, China
Contact: +86-18653132120

Product name: N,N-Dimethylacrylamide

CAS: 2680-03-7

Molecular Weight:99.13



Item	Specification
Boiling point	80-81 ° C/20 mmHg (lit.)
Density	0.962 g/mL at 25 ° C (lit.)
Vapor pressure	65Pa at 20°C
Storage conditions	2-8° C(protect from light)
resistivity	n20/D 1.473(lit.)

Application:

N,N-Dimethylacrylamide is prone to generate high polymerization degree polymers, which can copolymerize with acrylic monomers, styrene, vinyl acetate, etc.

Polymers or adducts have excellent moisture absorption, anti-static properties, dispersibility, compatibility, protective stability, adhesion, etc., and have a wide range of applications. Used for fiber modification, it can improve the moisture absorption, dyeing properties, and hand feel of acrylic fibers. In addition, it is also applied to the modification of fibers such as acetate fiber polyester, polyamide, polyolefin, polyvinyl chloride, etc.

Package:

Can be do customized package.



Unilong Industry Co., Ltd

Add: No.2000 Shunhua Rd, High-Tech Zone , Jinan City, Shandong Province, China
Contact: +86-18653132120

Unilong Industry